|    | Ty<br>pe | пиз | Search Text   | DBs                | Time<br>Stamp           | Com<br>ments | Error<br>Defini<br>tion | Error<br>s |
|----|----------|-----|---|--------------------|-------------------------|--------------|-------------------------|------------|
| 1  | BR<br>S  | 0   | hernandez-zelaya-rondolfo.<br>in.   | USPAT;<br>EPO; JPO | 2003/12<br>/04          |              |                         | 0          |
| 2  | BR<br>S  | 11  | edwards-david.in.   | USPAT;<br>EPO; JPO | 2003/12<br>/03          |              |                         | 0          |
| 3  | BR<br>S  | 2   | edwards-david.in. and<br>dry\$3   | USPAT;<br>EPO; JPO | 2003/12<br>/03          |              |                         | 0          |
| 4  | BR<br>S  | /   | ("3892049" "4890396" "53<br>59820" "5476183" "55904<br>77" "6230418" "6419102")<br>.PN.                                     |                    | 2003/12<br>/03<br>18:00 |              |                         | 0          |
| 5  | BR<br>S  | 9   | 3892049.uref.   | USPAT;<br>EPO; JPO | 2003/12<br>/03          |              |                         | 0          |
| 6  | BR<br>S  | 1   | 3892049.pn.   | USPAT;<br>EPO; JPO | 2003/12<br>/03          |              |                         | 0          |
| 7  | BR<br>S  | 9   | 3892049.URPN.   | USPAT              | 2003/12<br>/03          |              |                         | 0          |
| 8  | BR<br>S  | 5   | ("2290333"   "2326318"  <br>"2590797"   "3170310"  <br>"3466063").PN.   | USPAT              | 2003/12<br>/12<br>10:10 |              |                         | 0          |
|    | BR<br>S  |     | ("3495276"   "3847175"  <br>"4673097"   "4742585"  <br>"5121948"   "5191171"  <br>"5287665").PN.                            | USPAT              | 2003/12<br>/03<br>17:47 |              |                         | 0          |
| 10 | BR<br>S  | 1   | 6230418.URPN.   | USPAT              | 2003/12<br>/03          |              |                         | 0          |
| 11 | BR<br>S  | 9   | ("D411901"   "2823703"  <br>"4081915"   "4152844"  <br>"4434564"   "5121948"  <br>"5185941"   "5915735"  <br>"6101741").PN. | USPAT              | 2003/12<br>/03<br>17:49 |              |                         | 0          |
| 12 | BR<br>S  | 7   | ("D218825"   "D335174"  <br>"3123939"   "3466063"  <br>"3847175"   "3892049"  <br>"5121948").PN.                            | USPAT              | 2003/12<br>/03<br>17:59 |              |                         | 0          |
| 13 | BR<br>S  | 2   | ("4081915"  <br>"4214380").PN.  | USPAT              | 2003/12<br>/03          |              |                         | 0          |

|    | Ty<br>pe |     | Search Text   | DBs                | Time<br>Stamp           | Com<br>ments | Error<br>Defini<br>tion | Error<br>s |
|----|----------|-----|---|--------------------|-------------------------|--------------|-------------------------|------------|
| 14 | BR<br>S  |     | ("6419102" "6230418"<br>"5590477" "3892049"<br>"5915735" "4147382"<br>"5121948" "6419102"<br>"6230418" "3892049"<br>"5121948" "5590477"<br>"5287665").pn. | USPAT;<br>EPO; JPO | 2003/12<br>/05<br>14:40 |              |                         | 0          |
| 15 | BR<br>S  | 0   | us01/41020  | USPAT;<br>EPO; JPO | 2003/12<br>/04          |              |                         | 0          |
| 16 | BR<br>S  | 54  | universal adj dynamics  | USPAT;<br>EPO; JPO | 2003/12<br>/04          |              |                         | 0          |
| 17 | BR<br>S  | i   | (universal adj dynamics)<br>and desiccant   | USPAT;<br>EPO; JPO | 2003/12<br>/04          |              |                         | 0          |
| 18 | BR<br>S  | 0   | us0141020   | USPAT;<br>EPO; JPO | 1                       |              |                         | 0          |
| 19 | BR<br>S  | 7   | ("6419102" "6230418"<br>"5590477" "3892049"<br>"5915735" "4147382"<br>"5121948").pn.  | USPAT;<br>EPO; JPO | 2003/12<br>/05<br>12:45 |              |                         | 0          |
| 20 | BR<br>S  | 1   | 5287665.pn.   | USPAT;<br>EPO; JPO | 2003/12<br>/05          |              |                         | 0          |
| 21 | BR<br>S  | 1   | (dry\$3 adj vent.ti.) and<br>flare  | USPAT;<br>EPO; JPO | 2003/12<br>/05          |              |                         | 0          |
| 22 | BR<br>S  | 31  | dry\$3 adj vent.ti.   | USPAT;<br>EPO; JPO | 2003/12<br>/12          |              |                         | 0          |
| 23 | BR<br>S  | 127 | 34/140.ccls.  | USPAT;<br>EPO; JPO | 2003/12<br>/12          |              |                         | 0          |
| 24 | BR<br>S  | 0   | 34/140.ccls. and flare  | USPAT;<br>EPO; JPO | 2003/12<br>/05          |              | (                       | 0          |
| 25 | BR<br>S  | 14  | 34/140.ccls. and drum   | USPAT;<br>EPO; JPO | 2003/12<br>/05          |              |                         | 0          |
| 26 | BR<br>S  | :   | 34/140.ccls. and (tube hose)  | USPAT;<br>EPO; JPO | 2003/12                 |              |                         | 0          |
| 27 | BR<br>S  | 58  | dry\$3 with vent.ti.  |                    | 2003/12                 |              |                         | )<br>)     |
| 28 | 1.0      | 31  | dry\$3 adj vent.ti.   |                    | 2003/12                 |              |                         | )          |
| 29 | BR<br>S  | 27  | (dry\$3 with vent.ti.) not<br>(dry\$3 adj vent.ti.)   |                    | 2003/12                 |              | (                       | )          |

|    | Ty<br>pe | Hits     | Search Text  | DBs                | Time<br>Stamp           | Com<br>ments | Error<br>Defini<br>tion | Error<br>s |
|----|----------|----------|--|--------------------|-------------------------|--------------|-------------------------|------------|
| 30 | BR<br>S  | 15       | "5915735" "4147382"<br>5121948.pn.   | USPAT              | 2003/12<br>/12          |              |                         | 0          |
| 31 | BR<br>S  | 3        | ("5915735" "4147382"<br>"5121948").pn.   | USPAT              | 2003/12<br>/12          |              |                         | 0          |
| 32 | BR<br>S  | 2        | (''2290333''<br>''5915735'').pn.   | USPAT              | 2003/12<br>/12          |              |                         | 0          |
|    | BR<br>S  |          | ("6419102" "6230418"<br>"5590477" "3892049"<br>"5915735" "4147382"<br>"5121948" "2290333").pn. | USPAT              | 2003/12<br>/12<br>11:35 |              |                         | 0          |
| 34 | BR<br>S  | 2        | ("5915935"<br>"2290333").pn.   | USPAT              | 2003/12<br>/12          |              |                         | 0          |
| 35 | BR<br>S  | 2        | ("5915735"<br>"2290333").pn.   | USPAT              | 2003/12<br>/12          |              |                         | 0          |
|    | BR<br>S  |          | dry\$3 adj vent.ti.  | USPAT;<br>EPO; JPO | 2003/12<br>/12          |              |                         | 0          |
| 37 | BR<br>S  | 6        | (dry\$3 adj vent.ti.) and (mount\$3 with flange)   | USPAT;<br>EPO; JPO | 2003/12<br>/12          |              |                         | 0          |
| 38 | BR<br>S  | 12       | 34/140.ccls. and vent  | USPAT;<br>EPO; JPO | 2003/12<br>/12          |              |                         | 0          |
| 39 | BR<br>S  | 4        | (dry\$3 adj vent) with<br>(mount\$4 with flange)   | USPAT;<br>EPO; JPO | 1                       |              |                         | 0          |
| 40 | S        | 171<br>8 | l-shaped adj flange  | USPAT;<br>EPO; JPO | 2003/12<br>/12          |              |                         | 0          |
| 41 | BR<br>S  | 316      | (l-shaped adj flange) with mount\$4  | USPAT;<br>EPO; JPO | 2003/12<br>/12          |              |                         | 0          |
| 42 | BR<br>S  | //1 1    | ((1-shaped adj flange) with mount\$4) and vent   | USPAT;<br>EPO; JPO | 2003/12<br>/12          |              |                         | 0          |
| 43 | BR<br>S  |          | ((1-shaped adj flange) with<br>mount\$4) and ((vent<br>exhaust) with dry\$3)                   | USPAT;<br>EPO; JPO | 2003/12<br>/12<br>12:40 |              | 1                       | 0          |
| 44 | BR<br>S  | 52       | ((1-shaped adj flange) with<br>mount\$4) and (vent<br>exhaust)                                 | USPAT;<br>EPO; JPO | 2003/12<br>/12<br>12:40 | 11.1         |                         | 0          |
| 45 | BR<br>S  | 0        | (l-shaped adj flange) with mount\$4 with (vent exhaust)  | USPAT;<br>EPO; JPO | 2003/12<br>/12<br>12:41 |              |                         | 0          |

|    | Ty<br>pe | Hits | Search Text   | DBs                | Time<br>Stamp           | Com<br>ments | Error<br>Defini<br>tion | Error<br>s |
|----|----------|------|---|--------------------|-------------------------|--------------|-------------------------|------------|
| 46 | BR<br>S  | 0    | (l-shaped adj flange) with<br>mount\$4 with (cross near2<br>beam) | USPAT;<br>EPO; JPO | 2003/12<br>/12<br>12:46 |              |                         | 0          |
| 47 | BR<br>S  |      |   | USPAT;<br>EPO; JPO | 2003/12<br>/12<br>13:15 |              |                         | 0          |
| 48 | BR<br>S  | 7    |   | USPAT;<br>EPO; JPO | 2003/12<br>/12<br>13:15 |              |                         | 0          |

|    | Document ID      | Issue<br>Date | Title   | Curre<br>nt OR |  | Inventor                         |
|----|------------------|---------------|---|----------------|--|----------------------------------|
| 1  | US<br>6584702 B2 |               | Dryer vent connection and method                    | 34/41<br>7     | 34/140;<br>34/235;<br>34/87;<br>454/358    | Irey, Greg<br>A.                 |
| 2  | US<br>6578286 B2 | 2003<br>0617  | Clothes dryer vent adapter                          | 34/13<br>8     | 34/235                                     | Seeley,<br>Gene                  |
| 3  | US<br>6550157 B1 | 2003<br>0422  | Recessed dryer vent system                          | 34/14<br>0     | 137/360;<br>220/3.2;<br>220/3.3;<br>34/235 | Harding,<br>Robert W.            |
| 4  | US<br>6499231 B1 |               | Clothes dryer vent<br>guillotine/isolator           | 34/23<br>5     |  | Bradley,<br>Frank R.             |
| 5  | US<br>6463673 B1 |               | Method and apparatus for dryer vent hose connection | 34/23<br>5     | 285/235;<br>34/140                         | Gherna,<br>John F.               |
| 6  | US<br>6438865 B1 |               | Clothes dryer vent<br>guillotine/isolator           | 34/23<br>5     |  | Bradley,<br>Frank R.             |
| 7  |                  |               | Wall outlet box for a dryer vent exhaust conduit    | 220/3.<br>3    | 137/360;<br>220/3.2;<br>220/3.5            | Harpenau,<br>Richard<br>John     |
| 8  | US<br>6378227 B1 |               | Dryer vent exhaust adapter<br>device                | 34/23<br>5     | 454/359                                    | Bradford,<br>Danny E.            |
| 9  | US<br>6299529 B1 | 2001<br>1009  | Dryer vent guard                                    | 454/3<br>67    |  | Preston,<br>Helen J.             |
| 10 | US<br>6161310 A  |               | Dryer vent elbow and method of assembly             | 34/48<br>0     | 34/140;<br>34/233;<br>34/235               | Tuggle, W.<br>Gregory et<br>al.  |
| 11 | US<br>5974690 A  |               | Method of protecting hair dryers having vents       | 34/44<br>4     | 34/329;<br>34/343;<br>392/385              | Canada,<br>Billie Jack           |
| 12 | US<br>5970623 A  | 1999<br>1026  | Dryer vent connection                               | 34/13<br>4     | 34/235;<br>34/606                          | Tuggle, W.<br>Gregory            |
| 13 | US<br>D412030 S  | 1999<br>0713  | Dryer vent elbow                                    | D23/3<br>93    |  | Tuggle, W.<br>Gregory            |
| 14 | US<br>D411901 S  | 1999<br>0706  | Dryer vent  | D32/2<br>5     |  | Gomulinski,<br>Dennis<br>Richard |
| 15 | US<br>5860224 A  | 1999<br>0119  | Testing for blocked dryer vent                      | 34/41<br>8     | 34/606;<br>34/607                          | Larson, Eric<br>K.               |

|    | Document ID     | Issue<br>Date | lifte  | Curre<br>nt OR | Į.  | Inventor                        |
|----|-----------------|---------------|--|----------------|---|---------------------------------|
| 16 | US<br>5711091 A | 1998<br>0127  | ik'o that anno sannto ol alam sa a mana t    | 34/60<br>6     | 34/140;<br>454/353;<br>52/220.8;<br>52/95;<br>D23/387;<br>D23/393 | Bos, Jim                        |
| 17 | US<br>5590477 A | 1997<br>0107  | Dryer vent box and method                    | 34/23<br>5     | 285/424;<br>454/339   | Carfagno,<br>Sr., Michael<br>B. |
| 18 | US<br>D371828 S | i             | Dryer vent for half block foundation opening | D23/2<br>69    | D23/364;<br>D23/371;<br>D23/385                                   | Priest,<br>Johnny B.            |
| 19 | US<br>5482507 A | 1996<br>0109  |  | 454/3<br>59    | 34/235  | Priest,<br>Johnny B.            |
| 20 | US<br>5476183 A | 1995<br>1219  | Recessed dryer vent rough-in box             | 220/3.<br>3    | 137/360   | Harpenau,<br>Richard J.         |
| 21 | US<br>4890396 A | •             | Adjustable clothes dryer vent connection     | 34/23<br>5     | 454/367   | King,<br>Timothy P.             |
| 22 | US<br>4615263 A | 1986<br>1007  | Dry vent for motor homes                     | 454/9<br>4     |   | Titterud,<br>Curtiss W.         |
| 23 | US<br>D277131 S | 1985<br>0108  | Housing for a clothes dryer vent             | D23/3<br>93    | D32/8   | Shames,<br>Sidney J. et<br>al.  |
| 24 | US<br>4395831 A | 1983<br>0802  | Dryer vent                                   | 34/86          | 34/235;<br>34/607   | Nielsen,<br>Edward G.           |
| 25 | US<br>4334461 A | 1982<br>0615  | Portable window dryer vent                   | 454/2<br>14    | 285/189;<br>34/235;<br>454/227                                    | Ferguson,<br>Arthur et al.      |
| 26 | US<br>D263905 S | 1982<br>0420  | Support for flexible dryer vent pipe         | D6/55<br>3     | D23/266   | Flora, Paul                     |
| 27 | US<br>D258609 S | i             | Clothes dryer vent valve and filter housing  | D23/3<br>64    |   | Vogt,<br>Eugene W.              |
| 28 | US<br>4237621 A |               | Damper structure for a clothes dryer vent    | 8              | 137/527;<br>34/140;<br>34/235;<br>34/598;<br>454/359              | Boismenu,<br>Lucien             |
| 29 | US<br>4151789 A | :             | Dryer vent hood attachment means             | : !            | 285/360;<br>403/349   | Grobard,<br>Seymour             |

|    | Document ID     | Issue<br>Date | Title  | Curre<br>nt OR |   | Inventor                |
|----|-----------------|---------------|--|----------------|---|-------------------------|
| 30 | US<br>3892049 A | 1975<br>0701  | Clothes dryer vent attachment  | 34/23<br>5     | 285/183;<br>285/363;<br>285/424;<br>34/90;<br>454/339;<br>454/903 | Adams, Jr.,<br>Paul     |
| 31 | US<br>3847175 A | 1074          | UNIVERSAL INSTALLATION<br>BOX FOR USE IN DRYER<br>VENT SYSTEMS AND IN<br>WATER SUPPLY AND DRAIN<br>SYSTEMS | 137/3<br>60    |   | Anderson,<br>Kenneth J. |